

according to Regulation (EC) No 1907/2006

# Developer for Photoresist ma-D 330 S - 337 S

Print date: 01.05.2013

Product code: R811XX1

Page 1 of 7

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### Product identifier

Product group:

Developer for Photoresist ma-D 330 S - 337 S

Entwickler

#### Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Chemical Speciality

#### Details of the supplier of the safety data sheet

Company name:	micro resist technology GmbH	
Street:	Koepenicker Str. 325	
Place:	D-12555 Berlin	
Telephone:	+49 30 641670-100	Telefax: +49 30 641670-200
e-mail:	safety@microresist.de	
Internet:	www.microresist.de	
Emergency telephone:	+49 30 641670-100	

#### Further Information

This number is serviced during office hours.

# **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

Indications of danger : Irritant R-phrases: Irritating to eyes and skin.

#### **GHS** classification

Hazard categories: Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Hazard Statements: Causes skin irritation. Causes serious eye irritation.

#### Label elements

# Hazardous components which must be listed on the label caustic soda, sodium hydroxide

Signal word:	Warning
Pictograms:	GHS07
Hazard statements	
H315	Causes skin irritation.
H319	Causes serious eye irritation.
Precautionary statemer P280	ts Wear protective gloves/protective clothing/eye protection/face protection.

Revision	No:	1.22	

P302+P352

P332+P313

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.



#### according to Regulation (EC) No 1907/2006

# Developer for Photoresist ma-D 330 S - 337 S Print date: 01.05.2013 Product code: R811XX1 Page 2 of 7 P362 Take off contaminated clothing and wash before reuse. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.

#### Other hazards

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### **SECTION 3: Composition/information on ingredients**

#### **Mixtures**

# Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
215-185-5	caustic soda, sodium hydroxide	< 2%
1310-73-2	C R35	
011-002-00-6	Skin Corr. 1A; H314	

Full text of R- and H-phrases: see section 16.

#### **SECTION 4: First aid measures**

#### Description of first aid measures

#### **General information**

In case of accident or if you feel unwell, seek medical advice immediately (show safety data sheet if possible).

#### After inhalation

Provide fresh air. In case of breathing difficulties administer oxygen. If victim is at risk of losing consciousness, position and transport on their side. In case of irritation of the respiratory tract seek medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink large quantities of water. Caution if victim vomits: Risk of aspiration! Medical treatment necessary.

#### Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

Causes skin irritation.

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# Extinguishing media

# Suitable extinguishing media

Extinguishing materials should be selected according to the surrounding area. The product itself is not combustible.



according to Regulation (EC) No 1907/2006

## Developer for Photoresist ma-D 330 S - 337 S

Print date: 01.05.2013

Product code: R811XX1

Page 3 of 7

Water. Carbon dioxide (CO2). Dry extinguishing powder. Foam.

#### Extinguishing media which must not be used for safety reasons

No data available

#### Special hazards arising from the substance or mixture

No data available

#### Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear chemical resistant suit.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eye and clothing. Wear personal protection equipment.

#### **Environmental precautions**

Do not empty into drains or the aquatic environment.

#### Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed containers for disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

#### Reference to other sections

Treat the assimilated material according to the section on waste disposal. See protective measures under point 7 and 8.

#### **SECTION 7: Handling and storage**

#### Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas. Do not breathe vapour or spray. Avoid contact with skin, eye and clothing.

#### Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place. Keep container dry. Protect against: UV-radiation/sunlight. Suitable material for floor covering: Leachate-proof.

#### Specific end use(s)

No data available

#### **SECTION 8: Exposure controls/personal protection**

#### **Control parameters**

#### Exposure limits (EH40)

CAS No	Chemical name	ml/m³	mg/m³	F/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	-		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

# Additional advice on limit values

No data available

#### Exposure controls



according to Regulation (EC) No 1907/2006

# Developer for Photoresist ma-D 330 S - 337 S

Print date: 01.05.2013

Product code: R811XX1

Page 4 of 7







#### **Occupational exposure controls**

In case of open handling equipment with built-in suction must be used. Do not breathe gas/fumes/vapour/spray. Wear personal protection equipment. Provide adequate ventilation.

#### Protective and hygiene measures

Take off immediately all contaminated clothing. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

#### **Respiratory protection**

If technical suction or ventilation measures are not possible or are insufficient, protective breathing apparatus must be worn. Respiratory protection required in case of: aerosol or mist generation. Filter respirator (full mask or mouth-piece) with filter: A

#### Hand protection

Tested protective gloves are to be worn: Single-use gloves. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Duration of wearing with permanent contact: Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.11 mm penetration time (maximum wearing period): > 480 min Recommended protective gloves brand: KCL 741 Dermatril, Manufacturer: KCL GmbH, D-36124 Eichenzell, Source of supply: www.kcl.de

Duration of wearing with occasional contact (splashes): Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.11 mm penetration time (maximum wearing period): > 480 min Recommended protective gloves brand: KCL 741 Dermatril, Manufacturer: KCL GmbH, D-36124 Eichenzell, Source of supply: www.kcl.de

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

#### Eye protection

Suitable eye protection: Tightly sealed safety glasses.

#### Skin protection

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes).

Take off immediately all contaminated clothing.

#### **Environmental exposure controls**

Do not empty into drains.

# **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless

pH-Value (at 25 °C):

#### Changes in the physical state

>11



according to Regulation (EC) No 1907/2006

# Developer for Photoresist ma-D 330 S - 337 S

Print date: 01.05.2013	Product code: R811XX1	Page 5 of 7
Boiling point:	~100 °C	
Flash point:	Non-flammable.	
Lower explosion limits:	not applicable	
Upper explosion limits:	not applicable	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density (at 25 °C):	~1 g/cm³	
Water solubility:	miscible.	
Partition coefficient:	No data available	
Viscosity / dynamic:	No data available	
Viscosity / kinematic:	No data available	
Flow time:	No data available	
Vapour density:	No data available	
Evaporation rate:	No data available	

#### Other information

No data available

# **SECTION 10: Stability and reactivity**

#### **Reactivity**

Response: Do not mix with acids. Oxidizing agents, strong.

#### **Chemical stability**

No data available

#### Possibility of hazardous reactions

Response: Do not mix with acids. Oxidizing agents, strong.

#### Conditions to avoid

No data available

#### Incompatible materials

Strong acid Oxidizing agents.

#### Hazardous decomposition products

No data available

# **SECTION 11: Toxicological information**

#### Information on toxicological effects

#### Irritation and corrosivity

Irritating to eyes. After skin contact: irritant.

#### Empirical data on effects on humans

No data available

# **SECTION 12: Ecological information**



according to Regulation (EC) No 1907/2006

#### Developer for Photoresist ma-D 330 S - 337 S

Print date: 01.05.2013

Product code: R811XX1

Page 6 of 7

#### Toxicity

	CAS No	Chemical name					
Aquatic toxicity Method Dose h Species							Source
1310-73-2 caustic soda, sodium hydroxide							
		Acute fish toxicity	LC50	45,4 mg/l	96	Onchorhynchus mykiss	

#### Persistence and degradability

No data available

#### **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Results of PBT and vPvB assessment

No data available

#### Other adverse effects

No data available

#### **Further information**

Do not allow uncontrolled leakage of product into the environment.

#### **SECTION 13: Disposal considerations**

#### Waste treatment methods

#### Advice on disposal

Waste disposal according to official state regulations.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

#### Other applicable information (land transport)

No dangerous good in sense of this transport regulation.

#### Marine transport

Other applicable information (marine transport)

No dangerous good in sense of this transport regulation.

#### Air transport

Other applicable information (air transport) No dangerous good in sense of this transport regulation.

#### **Environmental hazards**

Dangerous for the environment:

#### Special precautions for user

No data available

#### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available

# **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

no

#### EU regulatory information

1999/13/EC (VOC):

0 %



according to Regulation (EC) No 1907/2006

# Developer for Photoresist ma-D 330 S - 337 S Print date: 01.05.2013 Product code: R811XX1 Page 7 of 7 National regulatory information Employment restrictions: Observe employment restrictions for young people. Observe employment restrictions for child bearing mothers and nursing. Water contaminating class (D): - - not water contaminating Chemical Safety Assessment Chemical safety assessments for substances in this mixture were not carried out. Employment carried out.

#### **SECTION 16: Other information**

#### Changes

chapter: 1; 2; 4; 5; 6; 7; 8; 9; 10; 11; 12; 14; 15; 16

#### Full text of R-phrases referred to under sections 2 and 3

35 Causes severe burns.

36/38 Irritating to eyes and skin.

#### Full text of H-Statements referred to under sections 2 and 3

- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)